



# OEM Approvals

## **Mobil 1™ & Mobil Super™**

Advanced Engine Oils  
for European Passenger Cars

Product information updated November 2020

**Mobil™**

# Mobil 1™ & Mobil Super™

Brand offer



## Mobil 1™

### Mobil 1 - A passion for the best

Mobil 1 stands for expertise, innovation, and a passion for performance

Mobil's leading brand for motor oils

**Targets flagship market**

**Delivers performance**

## Mobil Super™

### Mobil Super - Protects what you love, always!

Mobil Super is a brand that protects what you love, your engine, your car, as well as your loved ones sitting inside the vehicle

Mobil's premium brand for motor oils

**Targets heart of the market**

**Delivers effectiveness / protection**



# Passenger car engine oils Low/Mid & High SAPS



	Mobil 1™ ESP x2 0W-20	Mobil 1™ 0W-20	Mobil 1™ ESP 0W-30	Mobil 1™ ESP LV 0W-30	Mobil 1™ ESP x3 0W-40	Mobil 1™ FS 0W-40	Mobil 1™ ESP 5W-30	Mobil 1™ x1 5W-30	Mobil 1™ FS x1 5W-50	Mobil 1™ 10W-60
<b>ACEA</b>	C5 <sup>(2)</sup>		C2 <sup>(2)</sup> / C3 <sup>(2)</sup>	C2 <sup>(2)</sup> / A5/B5 <sup>(2)</sup>	C3 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> / A3/B4 <sup>(2)</sup>	C2 <sup>(2)</sup> / C3 <sup>(2)</sup>	A5/B5 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> / A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> / A3/B4 <sup>(2)</sup>
<b>API, ILSAC</b>	SP <sup>(4)</sup> / SN Plus <sup>(4)</sup> / SN <sup>(4)</sup> SL <sup>(2)</sup>	SP Plus Res.Cons. <sup>(2)</sup> SP <sup>(2)</sup> / SN Plus <sup>(2)</sup> / CF <sup>(3)</sup> ILSAC GF-6A <sup>(2)</sup>	SP <sup>(4)</sup> / SN Plus <sup>(4)</sup> / SN <sup>(4)</sup> SL <sup>(2)</sup>	SN <sup>(4)</sup> / SN Plus <sup>(4)</sup> SL <sup>(2)</sup>	SN Plus <sup>(2)</sup> / SN <sup>(4)</sup> CF <sup>(3)</sup>	SN <sup>(2)</sup> / SM <sup>(2)</sup> / CF <sup>(3)</sup>	SN <sup>(2)</sup> / SM <sup>(2)</sup> / CF <sup>(2)</sup>	SN Res.Cons. <sup>(2)</sup> / SN Plus <sup>(2)</sup> CF <sup>(3)</sup> / ILSAC GF-6A <sup>(2)</sup>	SN <sup>(2)</sup> / SM <sup>(2)</sup> / CF <sup>(3)</sup>	SN <sup>(2)</sup> / SM <sup>(2)</sup> / CF <sup>(3)</sup>
<b>Peugeot Citroën</b>							B71 2290 <sup>(1)</sup> B71 2297 <sup>(1)</sup>			
<b>Volkswagen</b>	508 00 <sup>(1)</sup> 509 00 <sup>(1)</sup>		504 00 <sup>(1)</sup> 507 00 <sup>(1)</sup>		511 00 <sup>(1)</sup>	502 00 <sup>(1)</sup> 505 00 <sup>(1)</sup> 503 01 <sup>(1)</sup>	504 00 <sup>(1)</sup> 507 00 <sup>(1)</sup> 502 00, 503 00/01 505 00, 506 00 <sup>(2)</sup>			
<b>Ford</b>		WSS-M2C947-A <sup>(2)</sup> WSS-M2C947-B1 <sup>(2)</sup> WSS-M2C962-A1 <sup>(2)</sup>		WSS-M2C920-A <sup>(3)</sup>		WSS-M2C937-A <sup>(2)</sup>		WSS-M2C929-A <sup>(3)</sup> WSS-M2C946-A <sup>(2)</sup> WSS-M2C946-B1 <sup>(2)</sup> WSS-M2C961-A1 <sup>(2)</sup>		
<b>GM</b>	dexosD <sup>(1)</sup>	Dexos1™ Gen2 <sup>(1)</sup> GM 6094M <sup>(3)</sup>			GM dexos2 <sup>(1)</sup>		GM dexos2™ <sup>(1)</sup>	Dexos1™ Gen2 <sup>(1)</sup> / GM 4718M <sup>(3)</sup> / GM 6094M <sup>(3)</sup>		
<b>Fiat</b>					FIAT 9.55535-S2 <sup>(2)</sup>	FIAT 9.55535-M2 <sup>(3)</sup>			FIAT 9.55535-M2 <sup>(3)</sup>	
<b>BMW</b>				Longlife-12 FE <sup>(1)</sup>						
<b>Mercedes-Benz</b>	229.71 <sup>(1)</sup>		229.31 <sup>(1)</sup> 229.51 <sup>(1)</sup> 229.52 <sup>(1)</sup>	229.61 <sup>(1)</sup>	229.31 <sup>(1)</sup> 229.51 <sup>(1)</sup> 229.52 <sup>(1)</sup>	229.3 <sup>(1)</sup> 229.5 <sup>(1)</sup>	229.31 <sup>(1)</sup> 229.51 <sup>(1)</sup> 229.52 <sup>(1)</sup>		229.1 <sup>(1)</sup> 229.3 <sup>(1)</sup>	229.1 <sup>(1)</sup>
<b>Porsche</b>	Porsche C20 <sup>(1)</sup>		C30 <sup>(1)</sup>		C40 <sup>(1)</sup>	A40 <sup>(1)</sup>	C30 <sup>(1)</sup>		A40 <sup>(1)</sup>	
<b>Other: Volvo Jaguar Land Rover</b>	STJLT.03.5006 <sup>(1)</sup> STJLR.51.5122 <sup>(1)</sup>			VCC 95200377 <sup>(1)</sup> STJLR.03.5007 <sup>(1)</sup>						

Latest updates can be found: <https://www.exxonmobil.com/en/pds>

**SAPS:** Sulphated Ash-Phosphorus-Sulfur **1)** Builder approvals **2)** Meets or exceeds the requirements **3)** Recommended for the following applications **4)** Meets the engine test requirements

The information contained herein is correct on the date of edition and is subject to change without notice. All products may not be available locally. For more information, contact your local ExxonMobil contact or visit [www.exxonmobil.com](http://www.exxonmobil.com)

ExxonMobil is comprised of numerous affiliates and subsidiaries, many with names that include Esso, Mobil, or ExxonMobil. Nothing in this document is intended to override or supersede the corporate separateness of local entities. Responsibility for local action and accountability remains with the local ExxonMobil affiliate entities. © 2020 Exxon Mobil Corporation

# Passenger car & light duty commercial engine oils High SAPS



	Mobil Super™ 3000 0W-20	Mobil Super™ 3000 Formula VC 0W-30	Mobil Super™ 3000 x1 Form. FE 5W-30	Mobil Super™ 3000 Formula D1 5W-30	Mobil Super™ 2000 x1 5W-30	Mobil Super™ 3000 x1 5W-40	Mobil Super™ 2000 Formula P 10W-40	Mobil Super™ 2000 x1 10W-40	Mobil Super™ 1000 x1 15W-40
ACEA		A5/B5 <sup>(2)</sup>	A5/B5 <sup>(2)</sup>		A3/B3 <sup>(2)</sup> A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup>	A3/B3 <sup>(2)</sup>
API, ILSAC	SN Res. Cons. <sup>(2)</sup> SN <sup>(2)</sup> SM <sup>(2)</sup>	SL <sup>(2)</sup>	SN <sup>(2)</sup> SL <sup>(2)</sup> CF <sup>(3)</sup>	SN Res. Cons. SN <sup>(2)</sup> SM <sup>(2)</sup> ILSAC GF-5 <sup>(2)</sup>	SL <sup>(2)</sup> SJ <sup>(2)</sup> CF <sup>(3)</sup>	SN, SM <sup>(2)</sup> CF <sup>(3)</sup>	SN Plus <sup>(2)</sup> SN <sup>(2)</sup> CF <sup>(3)</sup>	SN <sup>(2)</sup> CF <sup>(3)</sup> SN Plus <sup>(2)</sup>	SN Plus <sup>(2)</sup> SN <sup>(2)</sup> CF <sup>(3)</sup>
Renault						RN 0710 <sup>(1)</sup> RN 0700 <sup>(1)</sup>			
Peugeot Citroën						B71 2296 <sup>(1)</sup>	B71 2300 <sup>(a)</sup>		
Volkswagen					502 00 <sup>(1)</sup> 505 00 <sup>(1)</sup>	502 00 <sup>(1)</sup> 505 00 <sup>(1)</sup>	501 01 <sup>(1)</sup> 505 00 <sup>(1)</sup>	501 01 <sup>(1)</sup> 505 00 <sup>(1)</sup>	501 01 <sup>(1)</sup> 505 00 <sup>(1)</sup>
Ford	WSS-M2C947-A <sup>(2)</sup>		WSS-M2C913-C <sup>(2)</sup> WSS-M2C913-D <sup>(1)</sup>	WSS-M2C929-A <sup>(1)</sup> WSS-M2C946-A <sup>(1)</sup> WSS-M2C946-B1 <sup>(1)</sup>					
GM				6094M <sup>(2)</sup> Dexos1™ Gen2 <sup>(1)</sup>		LL-B-025 <sup>(3)</sup>			
BMW									
Mercedes-Benz					229.1 <sup>(1)</sup>	229.3 <sup>(1)</sup>		229.1 <sup>(1)</sup>	229.1 <sup>(1)</sup>
Porsche						A40 <sup>(1)</sup>			
Jaguar Land Rover			STJLR.03.5003 <sup>(1)</sup>						
Volvo		VCC 95200377 <sup>(1)</sup>							
Others: Fiat, Chrysler				MS-6395 <sup>(2)</sup>		9.55535-M2 <sup>(2)</sup>			

Latest updates can be found: <https://www.exxonmobil.com/en/pds>

SAPS: Sulphated Ash-Phosphorus-Sulfur 1) Builder approvals 2) Meets or exceeds the requirements 3) Recommended for the following applications 4) Meets the engine test requirements

The information contained herein is correct on the date of edition and is subject to change without notice. All products may not be available locally. For more information, contact your local ExxonMobil contact or visit [www.exxonmobil.com](http://www.exxonmobil.com)

ExxonMobil is comprised of numerous affiliates and subsidiaries, many with names that include Esso, Mobil, or ExxonMobil. Nothing in this document is intended to override or supersede the corporate separateness of local entities. Responsibility for local action and accountability remains with the local ExxonMobil affiliate entities. © 2020 Exxon Mobil Corporation

UPDATED: NOVEMBER 2020



# Passenger car & light duty commercial engine oils Low/Mid SAPS



	Mobil Super™ 3000 Formula VC 0W-20	Mobil Super™ 3000 Formula P 0W-30	Mobil Super™ 3000 Formula F 0W-30	Mobil Super™ 3000 Formula F 5W-20	Mobil Super™ 3000 Formula P 5W-30	Mobil Super™ 3000 Formula R 5W-30	Mobil Super™ 3000 Formula V 5W-30	Mobil Super™ 3000 Formula RN 5W-30	Mobil Super™ 3000 XE 5W-30	Mobil Super™ 3000 XE1 5W-30	Mobil Super™ 3000 XE1 5W-40
ACEA	C5 <sup>(2)</sup>	C2 <sup>(2)</sup>	C2 <sup>(2)</sup> A5/B5 <sup>(2)</sup>	C5 <sup>(2)</sup>	C2 <sup>(2)</sup>	C4 <sup>(2)</sup>	C3 <sup>(2)</sup>	C3 <sup>(2)</sup>	C3 <sup>(2)</sup>	C3 <sup>(2)</sup>	C3 <sup>(2)</sup>
API, ILSAC				SN <sup>(2)</sup>			SN <sup>(2)</sup>		SN <sup>(2)</sup> SM <sup>(2)</sup> CF <sup>(3)</sup>	SN Plus <sup>(2)</sup> SN <sup>(2)</sup> SM <sup>(2)</sup>	SN <sup>(2)</sup> SM <sup>(2)</sup> CF <sup>(3)</sup>
Renault						RN0720 <sup>(1)</sup>		RN17 <sup>(1)</sup>			
Peugeot Citroën		B71 2312 <sup>(1)</sup> B71 2302 <sup>(1)</sup>			B71 2290 <sup>(1)</sup>						
Volkswagen							504 00 <sup>(1)</sup> 507 00 <sup>(1)</sup>		505 00 <sup>(1)</sup> 505 01 <sup>(1)</sup>		505 00 <sup>(1)</sup> 505 01 <sup>(1)</sup>
Ford			WSS-M2C950-A <sup>(2)</sup>	WSS-M2C948-B <sup>(2)</sup>					WSS- M2C917-A <sup>(3)</sup>		
GM									Dexos2™ <sup>(1)</sup>		Dexos2™ <sup>(1)</sup>
BMW							LL-04 <sup>(1)</sup>			LL-04 <sup>(1)</sup>	
Mercedes-Benz						226.51 <sup>(1)</sup>	229.31 <sup>(1)</sup> 229.51 <sup>(1)</sup>		229.31 <sup>(1)</sup> 229.51 <sup>(1)</sup> 229.52 <sup>(1)</sup>	229.31 <sup>(1)</sup> 229.51 <sup>(1)</sup> 229.52 <sup>(1)</sup>	
Porsche							C30 <sup>(1)</sup>				A40 <sup>(1)</sup>
Jaguar Land Rover											
Volvo	RBS0-2AE <sup>(1)</sup>										
Other: Fiat, Opel							Fiat 9.55535-S4 <sup>(3)</sup>		LL-A-025 <sup>(2)</sup> LL-B-025 <sup>(2)</sup>		Fiat 9.55535-S2 <sup>(3)</sup>

Latest updates can be found: <https://www.exxonmobil.com/en/pds>

**SAPS:** Sulphated Ash-Phosphorus-Sulfur **1)** Builder approvals **2)** Meets or exceeds the requirements **3)** Recommended for the following applications **4)** Meets the engine test requirements

The information contained herein is correct on the date of edition and is subject to change without notice. All products may not be available locally. For more information, contact your local ExxonMobil contact or visit [www.exxonmobil.com](http://www.exxonmobil.com)

ExxonMobil is comprised of numerous affiliates and subsidiaries, many with names that include Esso, Mobil, or ExxonMobil. Nothing in this document is intended to override or supersede the corporate separateness of local entities. Responsibility for local action and accountability remains with the local ExxonMobil affiliate entities. © 2020 Exxon Mobil Corporation



Mobil 1™

Mobil Super™